



TractorTest.eu





Name	Max Engine Power	Max Engine Torque	Environmental conditions	Env corr type	Env corr factor
John Deere 6130r	123,89 HP @ 1938 RPM	522,58 Nm @ 1437 RPM	T: 15,2C, Hum: 52,0%, P: 1023,1mbar	DIN 70020	0,982

Fuel usage rate [L/h]




TractorTest.eu







Engine intake air pressure [Bar]




TractorTest.eu




Exhaust diesel particle filter temperature [C]






DEF injection pressure [Bar]




TractorTest.eu


DEF usage rate [L/h]




TractorTest.eu

Engine airfilter differential Pressure [mBar]






Engine Fuel supply pressure [Bar]




TractorTest.eu

Engine oil pressure [Bar]



Exhaustgas massflow rate [kg/h]



TractorTest.eu

-	+
DEF exhaust temp management active	L0 - Not necessary
DEF quality [%]	3
DEF tank level [%]	23.6
DPF active regen status	L0 - Not active
DPF conditions for active regen	L1 - Regen possible
DPF dosing enable status	Lx - No information
DPF exhaust temp management active	L0 - Not necessary
DPF passive regen status	L0 - Not active
DPF status	L0 - Not necessary
Engine Coolanttemperature [C]	86.0625
Engine derate status General h	Lx - No information
Engine SCR system status	L0 - No errors detected
Vehicle battery voltage [V]	14.15
Vehicle hours acc.to EngineControlUnit	6119.25
Vehicle hours acc.to VehicleControlUnit	6119.2
Vehicle hydraulic oil temperature [C]	55
Vehicle speedlimit status	3