





TractorTest.eu





Name	Max Engine Power	Max Engine Torque	Environmental conditions	Env corr type	Env corr factor
John Deere 6R230	220,21 HP @ 1732 RPM	995,39 Nm @ 1345 RPM	T: 2,5C, Hum: 79,0%, P: 1024,8mbar	DIN 70020	0,959














Exhaust diesel particle filter temperature [C]



TractorTest.eu




DEF injection pressure [Bar]





TractorTest.eu

DEF usage rate [L/h]




Engine airfilter differential Pressure [mBar]






Engine Fuel supply pressure [Bar]





TractorTest.eu

Engine oil pressure [Bar]



TractorTest.eu





-	+
DEF exhaust temp management active	L0 - Not necessary
DEF quality [%]	3
DEF system status	L0 - No errors detected
DEF tank level [%]	100
DEF usage average [l/hour]	0.69565
DEF usage compared to fuel usage [%]	2.4641
DEF usage total acc.to EngineControlUnit [l]	176
DEF usage total acc.to VehicleControlUnit [l]	176
DPF active regen status	L0 - Not active
DPF conditions for active regen	L1 - Regen possible
DPF dosing enable status	Lx - No information
DPF exhaust temp management active	L0 - Not necessary
DPF passive regen status	L0 - Not active
DPF status	L0 - Not necessary
Engine Coolanttemperature [C]	84.1875
Engine derate status General h	Lx - No information
Engine fuel usage average [l/hour]	28.2312
Engine fuel usage total [l]	7142.5
Vehicle battery voltage [V]	14.9
Vehicle hours acc.to EngineControlUnit	253
Vehicle hours acc.to VehicleControlUnit	253
Vehicle hydraulic oil temperature [C]	55
Vehicle speedlimit status	3